

Verma M. S., Lehtovaara B. C. and Gu F.X.*

University of Waterloo, Waterloo, Canada (msverma@uwaterloo.ca)



INTRODUCTION AND OBJECTIVE

Natural polysaccharides are used in a variety of applications due to their unique properties. These applications range from paper manufacturing to wound healing (Czaja 2006). One interesting class of polysaccharides comprises 1,3- β -glucans, which are glucopyranose polysaccharides with (1,3) glycosidic linkages and varying degree of (1,6) branches (Wasser 2002).

1,3- β -glucans are derived from microbial and fungal sources and hence have innate immunomodulatory properties. When these 1,3- β -glucans are a component of the foreign pathogens, they can act as recognition sites for macrophages to facilitate the elimination and removal of these pathogens. When extracted 1,3- β -glucans are administered to animals or humans, they recruit macrophages and stimulate the immune system through a similar mechanism. This result has been utilized for various pharmacological applications including cancer inhibition (Le Mai Huong 2011), infection resistance (Stuyven 2010) and wound healing (Kofuji 2010).




Figure 1: Curdlan and DNA cylindrical liquid crystalline gels (Lehtovaara 2012a)

Curdlan, a high molecular weight linear 1,3- β -glucan, is of particular interest because of its pharmacological properties (Na 2000). Curdlan is insoluble in water but it dissolves in basic solutions and forms liquid crystalline gels upon infusion of transition metal salts as seen in Figure 1. These gels can be used to encapsulate deoxyribonucleic acid (DNA) in amorphous and crystalline regions (Lehtovaara 2012a). Curdlan can also be modified with

poly(ethylene glycol) (PEG) to create an amphiphilic graft polymer for encapsulating hydrophobic drugs (Lehtovaara 2012b).

Current research is focusing on combining the structural properties of 1,3- β -glucans with the pharmacological ones to further enhance the efficacy of hybrid systems thus created.

MATERIALS AND METHODS

Curdlan (~90,000 Da) was obtained from Wako Pure Chemical Industries. Sodium hydroxide was purchased from Caledon Laboratory chemicals. Calcium chloride anhydrous salt, phosphotungstic acid (PTA) and dialysis membrane (Flat Width 45mm with 12,000 to 14,000 Da MWCO) were purchased from Fisher Scientific. Monofunctional carboxylated PEG (~5,000 Da) was purchased from NanoCS. Dicyclohexylcarbodiimide (DCC), dimethylaminopyridine, DNA sodium salt from salmon testes and anhydrous dimethyl sulfoxide (DMSO) were purchased from Sigma Aldrich. Doxorubicin HCl was purchased from IntaTrade Chemicals GmbH, desalted using 2 molar equivalents triethylamine and extracted using dichloromethane to obtain a hydrophobic form of doxorubicin. Formvar coated transmission electron microscopy (TEM) grids were purchased from Canemco & Merivac (100 mesh copper grids). Linear polarizer sheets (2" x 2") were purchased from Thorlabs, Inc. and used to create the crossed nicols effect.

Liquid crystalline gels were synthesized by the infusion of a mixture of curdlan and DNA solution to a solution of calcium chloride using various methods. Large centimetre sized gels were obtained by using cylindrical dialysis membranes as templates and are seen in Figure 1. Millimetres to nanometres sized structures were synthesized using nanoprecipitation, where solutions of DNA and curdlan were added in a drop-wise manner to an aqueous solution of calcium chloride under magnetic stirring.

A new core-shell nanoparticle containing the chemotherapeutic drug doxorubicin was formulated via amphiphilic graft copolymer self-assembly using a curdlan-graft-poly(ethylene glycol) (curdlan-g-PEG). The graft copolymer was synthesized through the DCC ester linkage of carboxylated PEG to the hydroxyl groups of the curdlan backbone. Nanoparticles were made using nanoprecipitation where the graft polymer and doxorubicin were dissolved in DMSO and added to water.

RESULTS AND DISCUSSION

Curdlan-DNA structures

Each of the synthesized gels displayed crystallinity as confirmed by the presence of perpendicular dark lines when viewed under crossed polarizers (Figure 2). Areas of amorphous regions were also observed and these areas got bigger with increasing content of DNA (Figure 1). It is expected that these gels can provide an outer crystalline layer to protect the encapsulated amorphous payload in the core. Thus, the functionality of core can be protected in harsh conditions. CpG DNA is of particular interest for therapy because it can be delivered to enhance the immune response along with curdlan.




Figure 2: Curdlan and DNA Spherical millimeter sized gels, scale bars are 1 mm each. (Lehtovaara 2012a)

Curdlan-g-PEG doxorubicin nanoparticles

Nanoparticles synthesized using curdlan-g-PEG and doxorubicin were found to have an average particle size of 109.9 nm and encapsulate doxorubicin in high yield (4-5% wt/wt). This demonstrated the first nanoparticle formulation utilizing the hydrophobicity of curdlan to yield drug association while also concealing the immunomodulatory potential of curdlan within the core. These nanoparticles are seen in Figure 3, where the bright centre represents doxorubicin, the surrounding grey section represents curdlan and dark shell is composed of PEG.

CONCLUSIONS

1,3- β -glucans are extremely attractive natural polysaccharides for their structural and pharmacological properties. They can be used to deliver varying payloads ranging from small molecules to large polynucleotides. Their crystallinity can also be controlled easily. The next steps are to exploit the immunomodulatory effects of these polysaccharides and their derivative hybrid systems.




Figure 3: TEM images of Curdlan-g-PEG nanoparticles with encapsulated doxorubicin, PTA stain was used, scale bars are 200 nm. (Lehtovaara 2012b)

REFERENCES

- Czaja, W. et al. (2006) *Microbial cellulose - the natural power to heal wounds*. *Biomaterials* 27 (2) 145-151.
- Kofuji, K. et al. (2010) *Preparation and evaluation of a novel wound dressing sheet comprised of beta-glucan-chitosan complex*. *Reactive & Functional Polymers* 70 (10) 784-789.
- Le Mai Huong et al. (2011) *Preparation and Antitumor-promoting Activity of Curcumin Encapsulated by 1,3-beta-Glucan Isolated from Vietnam Medicinal Mushroom Hericium erinaceum*. *Chemistry Letters* 40 (8) 846-848.
- Lehtovaara, B. C. et al. (2012a) *Multi-phase ionotropic liquid crystalline gels with controlled architecture by self-assembly of biopolymers*. *Carbohydrate Polymers* 87 (2) 1881-1885.
- Lehtovaara, B. C. et al. (2012b) *Synthesis of curdlan-graft-poly(ethylene glycol) and formulation of doxorubicin-loaded core-shell nanoparticles*. *Journal of Bioactive and Compatible Polymers* 27 (1) 3-17.
- Na, K. et al. (2000) *Self-assembled hydrogel nanoparticles from curdlan derivatives: characterization, anti-cancer drug release and interaction with a hepatoma cell line (HepG2)*. *Journal of Controlled Release* 69 (2) 225-236.
- Stuyven, E. et al. (2010) *Oral Administration of beta-1,3/1,6-Glucan to Dogs Temporally Changes Total and Antigen-Specific IgA and IgM*. *Clinical and Vaccine Immunology* 17 (2) 281-285.
- Wasser, S. P. (2002) *Medicinal mushrooms as a source of antitumor and immunomodulating polysaccharides*. *Applied Microbiology and Biotechnology* 60 (3) 258-274.